

ecology and environment, inc.

Global Environmental Specialists

720 Third Avenue, Suite 1700, Seattle, WA 98104 Tel: (206) 624-9537, Fax: (206) 621-9832

MEMORANDUM

DATE:

November 28, 2012

FROM:

Mark Woodke, START-3 Chemist, E & E, Seattle, Washington

TO:

Jeff Fetters, START-3 Project Manager, Seattle, Washington

SUBJ:

Organic Data Quality Summary Check,

Fourth Avenue and Gamble Parking Lot Site, Anchorage, Alaska

REF:

TDD: 12-01-0004

PAN: 002233.0757.01SI

The data summary check of 13 Gore SorberTM air filter samples collected from the Fourth Avenue and Gamble Parking Lot site in Anchorage, Alaska, has been completed. Volatile Organic Compound (VOC) analysis (EPA modified Method 8260) was performed by Gore Labs, Inc., Elkten, Maryland. All sample analyses were evaluated following EPA's Stage 2 Data Validation Manual Process (S2VM). The samples were numbered (field ID-sample name):

PP01SG-00690005

PP02SG-00690004

PP03SG-00690003

PP04SG-00690011

PP05SG-00690010 PP09SG-00690008 PP06SG-00690009 TB01SG-00690000 PP07SG-00690002 TB02SG-00690001 PP08SG-00690007 BLK01SG-00689995

TB03SG-00689994

Data Qualifications:

Raw data and summary results were not provided for these samples and analyses. The following information was provided in the Case Narrative by the analytical laboratory:

For this project, the analytical method, results, and observations reported do [$\sqrt{\ }$] do not [] fall within the scope of W. L. Gore's ISO 17025 accreditation. The GORE® Modules are analyzed at Gore's fixed laboratory using thermal desorption-gas chromatography/mass spectrometry (TD-GC/MS) instrumentation following U.S. EPA Method 8260 (SPG-WI-0318), and include the following: BFB Tuning Frequency: Analyze a tune at the start of each analytical run and every 12 hours of analysis. Initial Calibration: A minimum of a five point calibration curve is analyzed prior to the analysis of samples.

Linearity of Target Compounds: If the RSD of any target analyte is less than or equal to 15% then average response factor can be used for quantitation. If the RSD exceeds 15% for a target compound a regression equation can be used for quantitation. A minimum of 5 calibration levels are required for linear regression. A minimum of 6 calibration levels are required for quadratic regression. When using a linear or quadratic fit, do not force intercept through 0.

Initial Calibration Verification: After calibration curve is analyzed and before samples are analyzed the initial calibration curve must be verified using a second source standard and must meet 8260C criteria. Continuing Calibration Verification: Every 12 hours a continuing calibration standard is analyzed near the mid-point of the calibration and must meet 8260C criteria. Every analytical batch must have an ending continuing calibration verification standard.

Laboratory Control Sample: Every 12 hours a second-source reference standard is analyzed near the mid-point of the calibration curve and must meet 8260C criteria.

Method Blank: Analyzed prior to the analysis of field samples and every 12 hours of analysis.



Internal Standard: Introduced to all QC samples (standards, method blanks, ICV, CCV's) and samples including trip and field blanks.

Surrogate: Introduced to all QC samples (standards, method blanks, ICV, CCV's) and samples including trip and field blanks. Acceptance limits must meet 8260C criteria or laboratory determined limits if limits are not found in analytical method.

Method deviations: None.

1. Sample Holding Times: Acceptable.

The samples were collected on July 25 or August 16, 2012, and were analyzed by August 2 or 24, 2012, therefore meeting QC holding time criteria of less than 14 days between collection and analysis; soil criteria were used in the absence of Gore SorberTM limits.

2. Overall Assessment of Data for Use

There were no detections in any trip blanks. A detection limit is not provided for summed combinations of analytes. In summed results, the reported values are considered estimated if any of the individual columns were reported as below the detection limit; these summed results are qualified as estimated quantities with a low bias (JL). Sample results listed as "nd" and "bdl" by the laboratory were qualified as not detected (U) at the limit of detection by the data reviewer even though results listed as "bdl" are positive results less than the limit of detection.

The overall usefulness of the data is based on the criteria outlined in the Site-Specific Sampling Plan and/or Sampling and Quality Assurance Plan, the OSWER Guidance Document "Quality Assurance/Quality Control Guidance for Removal Activities, Sampling QA/QC Plan, and Data Validation Procedures" (EPA/540/G-90/004), the analytical method, and, when applicable, the Office of Emergency and Remedial Response Publication "USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review". Based upon the information provided, the data are acceptable for use with the above stated data qualifications.

Data Qualifiers and Definitions

- U The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
- J The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.
- JH The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample with a high bias.
- JL The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample with a low bias.
- JK The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample with an unknown direction of bias.
- JQ The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample with an unknown direction of bias and falls between the MDL and the Minimum (or Practical) Quantitation Limit (MQL, PQL).
- UJ The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.
- R The sample results are rejected due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the analyte cannot be verified.

		_ +											
DATE	FIELD	SAMPLE											
ANALYZED	· ID	NAME	BTEX,	ug/m^3	BENZ,			EtBENZ	, ug/m <u>^3</u>	_mpXYL, ug/m^3		ug/r	n^3
		LOD=				3 1.43	(7) 2.61		(1.10	<u> </u>			1.43
08/24/12	BLK01SG	689995		bdl		nd	2.61U bdl	;	na	1,02U bd		<u> 30 -</u>	
08/02/12	PP07SG	690002		6.56	7	bdl	5.22		bdl	1.35			bdl
08/02/12	PP03SG	690003	1.31	6.24	5	bdl	4.92	·	bdl				bdl
08/02/12	PP02SG	690004		7.53	て	bdl	5.86		bdl	1.67			bdl
08/02/12	PP01SG	690005	.X 1	8.62	と	bdl	4.49		bdl			; <u>1</u>	1.71
08/02/12	PP08SG	690007		6.07	ガー	nd	3.99		bdl	2.08		<u>430</u>	bdl
08/02/12	PP09SG	690008	111	8.95	ブレ	bdl	7.01	**	bdl	, §1.94			bdl
08/02/12	PP06SG	690009	3.54	6.61	76	- bdl		n n	bdl	% 1.29		<u> </u>	bdl
08/02/12	PP05SG	690010	· 43	5.04	ゴレ	nd	3.83		bdl			1	bdl
08/02/12	PP04SG	690011	3	6.51	7	🥖 bdl	4.97	i.	- bdl		1 25 5		bdl
		- 1	- 1								<u> </u>	100	
08/24/12	TB03SG	689994		nd	¥₹3.	nd	77914		nd	11000	1		nd
08/02/12	TB01SG	690000		nd		nd	nd		nd			<u> </u>	nd
08/02/12	TB02SG	690001	ů,	nd		v/ nd	, nd		v nd		1	<u> </u>	nd
			-1					1 1			↓		
08/02/12		method blank	٠٠٠٠	nd		nd	nd		nd	· Since	1	Sa _g	nd
08/02/12		method blank		nd	- 1	nd	nd		nd	no	<u> </u>	٠.	nd
08/24/12		method blank		nd		nd	nd		nd	n/	4		nd
										5			
													•

MW HOLL

11/28/2012

Page: 1 of 6

No mdl is available for summed combinations of analytes. In summed columns (eg., BTEX), the reported values should be considered ESTIMATED if any of the individual compounds were reported as bdl.

FIELD	SAMPLE						
ID	NAME	C11, C13, &C15, ug/m^3	UNDEC, ug/m^3	TRIDEC, ug/m^3	_PENTADEC, ug/m^3	TMBs, ug/m^3	124TMB, ug/m^3
	LOD=	,	0.87			0)	1.16
BLK01SG	689995	, nd	, nd	nd	a. a j nd	nd	
PP07SG	690002	bdl	bdl	nd	nd	bdl	bdl
PP03SG	690003	¹∞ nd	+ nd	∍∉ nd	- ∳ and		
PP02SG	690004	bdl	bdl		nd	bdl	
PP01SG	690005	bdl	bdl	bdl			
PP08SG	690007	nd	· nd		84 √ and	<u> </u>	160 bdl
PP09SG	690008	nd .	nd				bdl
PP06SG 3	690009	nd	nd				
PP05SG	690010	<u>ji inbdl</u>	, bdl				
PP04SG d	690011	.ta nbdl	.ाहे nd	<u>≵</u> bdl			
TB03SG	689994	nd	€ nd				
TB01SG	690000	nd nd	nd	nd	nd		
TB02SG	690001	nd nd	✓ nd	nd	- V and	ind in the second	nd nd
				. 4			
	method blank	nd	<u>nd</u>		ind	· · · · · · · · · · · · · · · · · · ·	
	method blank	nd	nd				nd
	method blank	. nd	nd	nd	. nd		nd
				;	<u> </u>		
						•	. и

11/28/2012

Page: 2 of 6

No mdl is available for summed combinations of analytes. In summed columns (eg., BTEX), the reported values should be considered ESTIMATED if any of the individual compounds were reported as bdl.

ſ	FIELD 1	CAMPLE		- 1		-						
١	FIELD	SAMPLE	125TMD ug/	~^2	ot12DCE ua/m\3	112DCE 11	a/m^3	c12DCE	/m^3	NAPH&2-MN, ug/m^3	NAPH un/	س^3 ا
ŀ	ID	NAME LOD=		11:53 1.56			67.17	77)	141.41	11)	10, 11, 49,	0.87
I	5116666							0/	nd	h all		nd
I	BLK01SG	689995		nd	nd		nd	. ,				nd
ļ	PP07SG	690002		nd	nd nd	<u> </u>	nd	<u> </u>) nd		 	
Į	PP03SG	690003		nd	nd	, y	nd		≠ nd	nd		
l	PP02SG	690004		nd	nd nd		nd		nd	bdl		bdl
I	PP01SG	690005		bdi	· nd		nd		nd		 	bdl
1	PP08SG	690007	i,i	nd	nd		nd	-	nd	finally are no		nd
I	PP09SG	690008	<u>ដើ</u>	nd	nd		nd		ːːˈ nd			nd
ı	PP06SG	690009	,0,	nd	ි. nd	don's	nd	- 14		nd a nd		nd
1	PP05SG	690010		nd	nd nd		nd	*	nd			nd
	PP04SG	690011	1	nd	nd	· 81	a∈nd	, 3	nd	a sign of the sign	推。张 斯二	nd
1						3				11. 公安建工學法) // // ·
1	TB03SG	689994	.:. [- nd	nd	24	nd	tiere	nd		3845	nd
Ì	TB01SG	690000	- 3	nd	nd		nd	, .	nd		- 1	- nd
I	TB02SG	690001	V	nd	·· nd		nd		√nd	o o o o o o o o o o o o o o o o o o o	y aste √	nd
1		ı								- CO.	<u> </u>	
		method blank		nd	v.nd	٦.,	nd	ì	· nd	nc nc	- 14 A	nd
1		method blank	,	nd	nd		nd		nd	A same inc	April Ary	nd
	-	method blank	7,(.,	nd	nd		nd		nd	nc nc	<u></u>	nd
										ř	7.9	-
L		<u> </u>	L		· · · · · · · · · · · · · · · · · · ·	·		· · · · ·				

11/28/2012 Page: 3 of 6


No mdl is available for summed combinations of analytes. In summed columns (eg., BTEX), the reported values should be considered ESTIMATED if any of the individual compounds were reported as bdl.

FIELD	SAMPLE	OLE MARIL	·	NATES	^2	11000	- / 42	111TCA	a/m^2	12DCA 110/	س ۸2	TCE and	m/3	OCT HO	/m^3	
ID .	NAME @	2MeNAPH, ug							ug/m-3	12DCA, ug/	2.65	10E; ug/	2.33	173	2.67	11
	LOD=		0.87		0.50		160.50	ر ب	(40.23					V	-	بي
BLK01SG	689995	, 1	bdl	1	nd		\ nd		nd	· .1	nd		na		/ nd	
PP07SG	690002		nd	P 1	nd		nd		nd		nd		nd	<u> </u>	nd	1
PP03SG	a 690003	150 7	nd		nd		nd	*1	nd	· Maj	nd		nd	-	nd	٠
PP02SG	690004		nd		nd		nd		nd	F.	nd		nd		nd	17
PP01SG	690005	, B.	nd	, , ,	nd		nd		nd	· A A	nd		nd		nd	
PP08SG	690007	1	nd		nd	•	nd		nd		nd		nd		nd	9.3
PP09SG	÷ 690008	a Condition	nd	المكا	nd		nd	- 1 ii	nd		nd		ાnd	_ :::	nd	31 m
PP06SG	690009	i Gentis	nd	A 15 A	nd		nd	Gy	nd		nd				bdi	<u>.</u>
PP05SG	690010	- 444	nd		nd	÷	nd	A. 68	nd		₃ nd		nd		nd	N.
PP04SG	690011	(4)	nd	ं ,६	nd	Q.	nd	, dg	nd		nd	85 F.	nd	差。第二	- nd	100
	•						,				1.		4 9	18 P	$oxed{oxed}$	
TB03SG	689994	73	nd	∴d∔	nd		nd		nd		nd	81.74	= nd	A Company	- nd	
TB01SG	690000		nd	San a Co	nd		nd	185	nd		nd		nd		nd	Land Control
TB02SG	690001	76° 💙	nd	7	/ nd		/, nd	1000	d nd	が、平療主義	≻nd		/ nd	\ \ \ \ \	/ nd	12:1 8:1
		1			-			1.	•	1 工業業務			1.4			
	method blank	and a	nd	,	nd		nd	- 41	nd		nd	γ_{i}	nd	港	nd	3 ,
	method blank		nd		nd		nd		nd		nd	1 %	, nd		nd	
	method blank		nd		nd		nd		nd	Total State	nd		nd		nd	
													ř			_
		· · · · · · · · · · · · · · · · · · ·		<u> </u>				1				•				M

11/28/2012 Page: 4 of 6

No mdl is available for summed combinations of analytes. In summed columns (eg., BTEX), the reported values should be considered ESTIMATED if any of the individual compounds were reported as bdl.

,[FIELD ID	SAMPLE NAME							1112TetCA, ug/m^3
		LOD=	1.96	0.94	77.10	35.40	(1.75)		(0.85
Ţ	BLK01SG	689995	2.67	, no			ı nd	: <u>1</u> nd	na
	PP07SG	690002	14.01	nd	bd	nd	· nd	nd	nd
] دِ	PP03SG	690003	1.96U bd	nd '-	, no	.nd	⊭ nd		nd
1	PP02SG	690004	3.90	nd	nd	.nd	nd	nd nd	∖nd
Ī	PP01SG	690005	12.16	nd	. no	nd	nd	nd end	nd nd
- [PP08SG	690007	4.31	no	nd	∫ nd			nd
_	PP09SG	690008	1,960 bd	no no	no	nd			nd
-	;PP06SG	30 690009 %	2.01	no l	91.35				
-	PP05SG	adi 690010	5.87	no no	- 77.1U no	⊜nd	bdl		nd
-	PP04SG	ে;690011 য়	7.84	nc nc	no	ind	<u>.</u>		nd
▔┣			1		• • • • • • • • • • • • • • • • • • • •			1 年 经 201	
7	TB03SG	689994	1960 bd	l -and no	· Ivæ · no	nd	i a¥ i § i nd		nd e
ା	TB01SG	690000	no	no no	t no	nd	nd	nd nd	
-	TB02SG	690001	V no	i iz - "Inc	no no	₩ nd	<i>⊸</i> V nd	√ nd	√ nd
٦,				Y	-				
+		method blank	no	l no	nc nc	nd	nd	nd	nd nd
T		method blank	no	l no	l ii no	nd nd	nd	nd	nd
ı		method blank	no	nc nc	no	nd nd	nd	nd	- pd
t		-			•				



No mdl is available for summed combinations of analytes. In summed columns (eg., BTEX), the reported values should be considered ESTIMATED if any of the individual compounds were reported as bdl.

SAMPLE							
NAME .	1122TetCA, ug/	m^3	13DCB, ug/	m^3			
LOD=		0.85		0.93	(0)	0.87	إركا
689995		nd	i	nd	1	nd	
690002		nd	-	nd		nd	
690003	1.0	nd	76	nd	4 4 .	nd	
690004		nd		nd		nd	
690005		nd	-, -	nd	, to feet the	nd	٠.
690007		nd		nd		nd	
690008	J. (nd	Alte (**	nd		nd	
690009		nd	me de la companya de	nd	(海門蘭)	nd	
690010	4 分类	nd		nd		nd	
690011	å.	nd	(Z.)	nd		nd	
			r		3 4 3 4 A		
689994 lat		nd	te de	nd	不被 多点。	nd	
690000*		nd		ŋd	11 ⁰ 11 12 15 15	nd	
690001	V	nd	# 1	nd	200	∕ nd]
method blank	-	- na	-;	nd		≕nd	1.46
method blank		nd		nd		्राप	<u> </u>
method blank		nd		nd		nd	- nai
,					-	٠.] ///(
	NAME LOD= 689995 690002 690003 690004 690005 690007 690008 690009 690010 690011 689994 690000 690001 method blank method blank	NAME 1122TetCA, ug/ LOD= 689995 690002 690003 690004 690005 690007 690008 690010 690011 689994 690000 690001 method blank method blank	NAME 1122TetCA, ug/m^3 LOD= 0.85 689995	NAME 1122TetCA, ug/m^3 13DCB, ug/ LOD=	NAME 1122TetCA, ug/m^3 13DCB, ug/m^3 LOD= 0.85 0.93 689995 nd nd 690002 nd nd 690003 nd nd 690004 nd nd 690005 nd nd 690007 nd nd 690008 nd nd 690009 nd nd 690010 nd nd 690011 nd nd 689994 nd nd 690000 nd nd 690001 nd nd 690000 nd nd 690001 nd nd 690001 nd nd 690001 nd nd nd nd <td>NAME 1122TetCA, ug/m^3 13DCB, ug/m^3 12DCB, ug/m LOD= 0.85 0.93<td>NAME 1122TetCA, ug/m^3 13DCB, ug/m^3 12DCB, ug/m^3 LOD= 0.85 0.93 0.93 0.87 689995 nd nd nd nd 690002 nd nd nd nd 690003 nd nd nd nd 690004 nd nd nd nd 690005 nd nd nd nd 690007 nd nd nd nd 690008 nd nd nd nd 690010 nd nd nd nd 690011 nd nd nd nd 689994 nd nd nd nd 690001 nd</td></td>	NAME 1122TetCA, ug/m^3 13DCB, ug/m^3 12DCB, ug/m LOD= 0.85 0.93 <td>NAME 1122TetCA, ug/m^3 13DCB, ug/m^3 12DCB, ug/m^3 LOD= 0.85 0.93 0.93 0.87 689995 nd nd nd nd 690002 nd nd nd nd 690003 nd nd nd nd 690004 nd nd nd nd 690005 nd nd nd nd 690007 nd nd nd nd 690008 nd nd nd nd 690010 nd nd nd nd 690011 nd nd nd nd 689994 nd nd nd nd 690001 nd</td>	NAME 1122TetCA, ug/m^3 13DCB, ug/m^3 12DCB, ug/m^3 LOD= 0.85 0.93 0.93 0.87 689995 nd nd nd nd 690002 nd nd nd nd 690003 nd nd nd nd 690004 nd nd nd nd 690005 nd nd nd nd 690007 nd nd nd nd 690008 nd nd nd nd 690010 nd nd nd nd 690011 nd nd nd nd 689994 nd nd nd nd 690001 nd

11/28/2012 Page: 6 of 6

No mdl is available for summed combinations of analytes. In summed columns (eg., BTEX), the reported values should be considered ESTIMATED if any of the individual compounds were reported as bdl.

GORE® Surveys - Final Report

KEY TO DATA TABLE

UNITS	
μġ	micrograms, relative mass value
MDL	method detection limit
LOD	limit of detection
LOQ	limit of quantification
bdl	below detection limit; compound was observed at level below the MDL
	non-detect, compound was not detected at any level
nd	non-detect, compound was not detected at any level
<u>J</u>	compound was detected below the LOQ, but above the MDL
E	compound was detected at a level exceeding the upper calibration
· Q	one or more QC parameters related to this compound failed
ANALYTES	
BTEX	combined masses of benzene, toluene, ethylbenzene and total xylenes
	(Gasoline Range Aromatics)
BENZ	benzene
TOL-	toluene
EtBENZ	ethy lbenzene
-mpXYL	m-, p-xylene
OXYL	o-xylene
C11,C13&C15	combined masses of undecane, tridecane, and pentadecane (C11+C13+C15)
	(Diesel Range Alkanes)
UNDEC	undecane
< TRIDEC	tridecane
PENTADEC	pentadecane
——TMBs	combined masses of 1,3,5-trimethylbenzene and 1,2,4-trimethylbenzene
- 135TMB	1,3,5-trimethylbenzene
124TMB	1,2,4-trimethylbenzene
ct12DCE	cis- & trans-1,2-dichloroethene
+12DCE	trans-1,2-dichloroethene
C12DCE	cis-1,2-dichloroethene
NAPH&2-MN	combined masses of naphthalene and 2-methyl naphthalene
NAPH 2Manual 1	naphthalene 2-methyl naphthalene
2MeNAPH	methyl t-butyl ether
MTBE -11DCA	1,1-dichloroethane
CHCI	chloroform
HITCA	1,1,1-trichloroethane
12DCA	1,2-dichloroethane carbon tetrachloride
CC14	
TCE	trichloroethene
FOCT	octane
PCE	tetrachloroethene
CIBENZ	chlorobenzene
14DCB	1,4-dichlorobenzene
-112TCA	1,1,2-trichloroethane
1112TetCA	1,1,1,2-tetrachloroethane
H22TetCA	1,1,2,2-tetrachloroethane
13DCB	1,3-dichlorobenzene
12DCB	1,2-dichlorobenzene
DIANKS	
BLANKS mathad blank	OA/OC module documents analytical conditions during analysis

QA/QC module, documents analytical conditions during analysis

GORE and designs are trademarks of W. L. Gore & Associates

method blank